




Chippendale, Thom., the gentleman and cabinet-maker's director: being a large collection of the most elegant designs of household/#pl/being a large collection of the most elegant designs of household/#pl/being a large collection of the most elegant designs of household prevention of the property of the whole comprehended in 200 copper-places, nearly capraved. The third edition. Folio. London, princed for the author, 1762. Calf extra, gilt filleds on the sides and the ioside gilt back, gilt edges. Gradient of the state o

williamy. Mr. 201 Tap Presented by "Gen: Edw-ard Bawes Pyons". P. M. L.I. ed. D. Greentant.



GENTLEMAN and CABINET-MAKER's

DIRECTOR:

Being a large COLLECTION of the

Most ELEGANT and USEFUL DESIGNS

OF

HOUSEHOLD FURNITURE,

In the Most FASHIONABLE TASTE.

Including a great VARIETY of

CHAIRS, SOFAS, BEDS, and COUCHES; CHINATABLES, DRESSING-TABLES, SHAVING-TABLES, BASON-STANDS, and TEAKETTLE-STANDS; FRAMES FOR MARBLE-SLARS, BUREAU-DRESSING-TABLES, and COMMODES; WRITING-TABLES, and LIBRARY-TABLES; LIBRARY-BOOK-CASES, ORGAN-CASES FOR PRIVATE ROOMS, OF CHURCHES, DESKS, and BOOK-CASES; DRESSING and WRITING-TABLES WITH BOOK-CASES, TOILETS, CABINETS, and CLOATHS-PRESSES; CHINA-

Cases, China-Shelves, and Book-Shelves; Candle-Stands, Terms for Busts, Stands for China Jars, and Pedestals; Cisterns for Water, Lanthorns, and Chandeliers; Fire-Screens, Brackets, and Clock-Cases; Pier-Glasses, and Table-Frames; Girandoles, Chimbey-Pieces, and Picture-Frames; Stove-Grates, Boarders, Frets, Chinese-Railing, and Brass-Work, for Furniture.

AND OTHER

ORNAMENTS.

TO WHICH IS PREFIXED,

A Short EXPLANATION of the Five ORDERS of ARCHITECTURE;

WITH

Proper DIRECTIONS for executing the most difficult Pieces, the Mouldings being exhibited at large, and the Dimensions of each DESIGN specified.

The Whole comprehended in Two HUNDRED COPPER-PLATES, neatly engraved.

Calculated to improve and refine the prefent TASTE, and fuited to the Fancy and Circumstances of Persons in all Degrees of Life.

By THOMAS CHIPPENDALE,

CABINET-MAKER and UPHOLSTERER, in St. Martin's Lane, London.


THE THIRD EDITION.

LONDON:

Printed for the AUTHOR, and fold at his House, in St. Martin's Lane;
Also by T. BECKET and P. A. DE HONDT, in the Strand.

M DCC LXII.







PREFACE.

F all the Arts which are either improved or ornamented by Architecture, that of CABINET-MAKING is not only the most useful and ornamental, but capable of receiving as great Assistance from it as any whatever. I have therefore prefixed to the following Designs a short Explanation of the Five Orders. Without an Acquaintance with this Science, and some Knowledge of the Rules of Perspective, the Cabinet-Maker cannot make the Designs of his Work intelligible, nor shew, in a little Compass, the whole Conduct and Effect of the Piece. These, therefore, ought to be carefully studied by every one who would excel in this Branch, since they are the very Soul and Basis of his Art.

THE Title-Page has already called the following Work, The Gentleman and Cabinet-Maker's Director, as being calculated to affift the one in the Choice, and the other in the Execution of the Defigns; which are so contrived, that if no one Drawing should fingly answer the Gentleman's Taste, there will yet be found a Variety of Hints, sufficient to construct a new one.

I HAVE been encouraged to begin and carry on this Work not only by Perfons of Diffinction, but of eminent Tafte for Performances of this Sort; who have, upon many Occasions, fignified fome Surprize and Regret, that an Art capable of for much Perfection and Refinement, should be executed with so little Propriety and Elegance. How far the following Sheets may remove a Complaint, which I am afraid is not altogether groundless, the judicious Reader will determine: I hope, however, the Novelty, as well as the Usefulness of the Performance, will make some Atonement for its Faults and Impersections. I am sensible, there are too many to be found in it; for I frankly consess, that in executing many of the Drawings, my Pencil has but faintly copied out those Images that my Fancy suggested; and had they not been published till I could have pronounced them perfect, perhaps they had never seen the Light. Nevertheless, I was not upon that Account afraid to let them go abroad, for I have been told, that the greatest Masters of every other Art have laboured under the same Difficulty.

I AM not afraid of the Fate an Author usually meets with on his first Appearance from a Set of Criticks who are never wanting to shew their Wit and Malice on the Performances of others: I shall repay their Censures with Contempt. Let them unmolested deal out their pointles Abuse, and convince the World they have neither Good-nature to commend, Judgment to correct, nor Skill to execute what they find Fault with.

PREFACE.

The Correction of the Judicious and Impartial I shall always receive with Diffidence in my own Abilities, and Respect to theirs. But though the following Designs were more perfect than my Fondness for my own Offspring could ever suppose them, I should yet be far from expecting the united Approbation of ALL those whose Sentiments have an undoubted Claim to be regarded; for a thousand accidental Circumstances may concur in dividing the Opinions of the most improved Judges, and the most unprejudiced will find it difficult to disengage himself from a partial Affection to some particular Beauties, of which the general Course of his Studies, or the peculiar Cast of his Temper may have rendered him most sensible. The Mind, when pronouncing Judgment upon any Work of Taste and Genius, is apt to decide of its Merit according as those Circumstances which she most admires either prevail, or are desicient.

UPON the whole, I have here given no Defign but what may be executed with Advantage by the Hands of a skilful Workman, though some of the Profession have been diligent enough to represent them (especially those after the Gothick and Chinese Manner) as so many specious Drawings, impossible to be worked off by any Mechanick whatsoever. I will not scruple to attribute this to Malice, Ignorance, and Inability; and I am consident I can convince all Noblemen, Gentlemen, or others, who will honour me with their Commands, that every Design in the Book can be improved, both as to Beauty and Enrichment, in the Execution of it, by

Their Most Obedient Servant,

St. Martin's Lane, Feb. 27, 1762. THOMAS CHIPPENDALE.





T H E

GENERAL PROPORTIONS

OFTHE

TUSCAN ORDER.

PLATE I.

AKE any Height proposed for this Order, and divide it into five equal Patts; one of those Parts shall be the Height of the Pedestal according to the small Division of the Scale, on the left Hand; the other four Parts above must be divided into five Parts, according to the outmost Line on the left Hand; the upper fifth part shall be the Height of the Entablature, and the other four Parts betwixt the Pedestal and Entablature, shall be the Height of the Column, including its Base and Capital: and this Height being divided into seven Parts, one of those Parts will be the Diameter of the Column, which Diameter is divided into sixty equal Parts, and is called a Module; and this will serve to set off all the Mouldings for this Order. You have all the Particulars of the Mouldings at large on the right Hand; the Base and Capital are each in Height a Semi-diameter of the Column; the Column must be divided into three equal Parts betwixt the Capital and Base, and from the top of the lower Division it is diminished one-fifth of its Semi-diameter on each Side. The Method of diminishing the Column is explained in the middle Scheme; the Breadth of the Die of the Pedestal is determined by the Projection of the Base of the Column.

THE.

GENERAL PROPORTIONS

OF THE

DORICK ORDER.

PLATE II.

TAKE any Height upon a ftraight Line, as in the Tuscan Order, and divide it into five equal Parts; one of them shall be the Height of the Pedestal; the other four Parts must be divided into five Parts, one of which is the Height of the Entablature; the remaining four Parts must be divided into eight Parts; one of them is the Diameter of the Column, or Module, which divide into fixty equal Parts, as in the Tuscan Order, to set off all the Mouldings, as you will see on the right Hand, where you have the Plan of the Cornice. The Column diminishes one-sixth of its Semi-diameter on each Side, from one-third Part of its Height, to the Top of the Capital. The Base and Capital are each in Height a Semi-diameter.

THE

GENERAL PROPORTIONS

OFTHE

IONICK ORDER.

PLATE III.

TAKE any Height, as in the foregoing Orders, and divide it into five equal Parts, one of these Parts is the Height of the Pedestal; the other four being divided into fix Parts, one of them is the Height of the Entablature; the remaining five Parts must be divided into nine equal Parts; one of them is the Diameter of the Column or Module, which is divided into fixty equal Parts as before; the Mouldings are at large, with a Scale or Module to draw them. The Column is diminished one-fixth of its Semi-diameter on each Side, from one-third Part of its Height. The Base and Capital are each in Height a Semi-diameter.

A.

(2)

THE

GENERAL PROPORTIONS

OF THE

CORINTHIAN ORDER.

PLATE IV.

THE whole Height is divided into five Parts; one of them must be for the Pedestals the other four remaining Parts must be divided into fix; one of them will give the Height of the Entablature, the other five, betwixt the Pedestal and Entablature, must be divided into ten Parts, one of which is the Diameter of the Column, or Module, which divide into fixty equal Parts as before; the Base is in Height a Semi-diameter of the Column; the Capital is one Module, and ten Parts, in Height: The other Dimensions are as in the IONICK Order.

THE

GENERAL PROPORTIONS

OF THE

COMPOSITE ORDER.

PLATE V.

AKE any determined Height, as in the Corinthian Order, and divide it into five Parts, one Part shall be the Height of the Pedestal, the other four Parts must be divided again into fix Parts as before; one of them is the Height of the Entablature: The Height of the Capital is one Module, and ten Parts: The Column diminishes one-fixth of its Semi-diameter on each Side, from one-third Part of the Height. The Dimensions are as in the Corinthian Order.

T H E

B A S E S

FOR THE

COLUMNS of each ORDER.

PLATE VI.

THE Bases are in Height a Semi-diameter of the Column; their Projections are one-third of the Height; their Members are of an easy Form, being most of them a Semi-circular, except the Scotia, which is a Mixti-linear drawn from two Centers, in this Manner, as in the Ionick Base. Having drawn and divided the Bigness of each Member, and the Centers of the upper and lower Torus, then let fall a Perpendicular from the Center of the upper Torus, and divide it within the Space of the Scotia into seven Parts, the three uppermost will be the Segment of the Circle drawn to the oblique Line: The other Segment is drawn by fixing the Center where the Oblique cuts the Perpendicular; the other Scotias are drawn in the same Manner. The Mouldings are all the same as pricked or marked in the Orders.

THE

B A S E S and C A P S P E D E S T A L S of each O R D E R.

PLATE VII.

THE Projection of the Base of the Pedestal is equal to its Height, and the Caps project the same; the Mouldings are pricked off as they are drawn in the Order before.

A RULE

Α

RULE for DRAWING

THE

SPIRAL LINES of the VOLUTE

OFTHE

IONICK ORDER.

PLATE VIII.

TAKE your Compasses, and extend from 1 in the Eye of the Volute, to the greatest Extent, and sweep with them a Quarter of a Circle; then holding still in the Point where the Compasses ended the Quarter Eircle, bring the other Point of the Compasses to 2, in the Eye of the Volute; there sweep another Quarter of a Circle, still holding your Compasses in that Point; bring the other Point of your Compasses to 3 in the Eye of the Volute, and sweep another Quarter of a Circle; then hold your Compasses in that Point, and bring the other Point of your Compasses to 4 in the Eye of the Volute, then sweep the other Quarter: so by this Means you will complete one Round of the Volute. Then proceed in the same Manner from 4, to 5, 6, 7, and so on to 12. Take Notice of the Eye of the Volute at large, and observe to divide each Division into three equal Parts, as is done betwixt 2 and 6, and let the Point of your Compass be placed in the Points c, d, f, &c. to diminish the Fillet of the Volute.

PLATES IX. X. XI. XII. XIII. XIV.

Are various Defigns of Chairs for Patterns. The front Feet are mostly different, for the greater Choice. Care must be taken in drawing them at large. The Seats look best when stuffed over the Rails, and have a Brass Border neatly chased; but are most commonly done with Brass Nails, in one or two Rows; and sometimes the Nails are done to imitate Fretwork. They are usually covered with the same Stuff as the Window-Curtains. The Height of the Back seldom exceeds twenty-two Inches above the Seats: The other Dimensions are in Plate IX. Sometimes the Dimensions are less, to suit the Chairs to the Rooms.

PLATE XV.

Three Defigns of Chairs with Ribband-Backs. Several Sets have been made, which have given entire Satisfaction. If any of the small Ornaments should be thought superfluous, they may be left out, without spoiling the Design. If the Seats are covered with red Morocco, they will have a fine Effect.

PLATE XVI.

Six Defigns for Backs of Chairs.

PLATES XVII. XVIII.

Six Designs of Chairs for Halls, Passages, or Summer-Houses. They may be made either of Mahogony, or any other Wood, and painted, and have commonly wooden Seats. If the Carving of the Chairs in Plate XVIII. was thought superfluous, the Outlines may be preserved, and they will look very well. The Height of the Gothick Back is two Feet, four Inches, and the others one Foot, eleven Inches, and the Height of the Seat seventeen or eighteen Inches. If you divide the Height of the Backs in the Number of Inches given, you will have a Measure to take off of the Breadth of the circular Parts of each Back. Arms, if required, may be put to those Chairs.

PLATE XIX.

Two Defigns of French Chairs with Elbows, and for the greater Variety, the Feet and Elbows are different. The little Moulding, round the Bottom of the Edge of the Rails, has a good

Effect. The Backs and Seats are fluffed, and covered with Spanish Leather, or Damask, &c. and nailed with Brass Nails. The Seat is twenty-feven Inches wide in Front, twenty-two Inches from the Front to the Back, and twenty-three Inches wide behind; the Height of the Back is twenty-five Inches, and the Height of the Seat fourteen Inches and an Half, including Cafters.

PLATES XX. XXI. XXII. XXIII.

Eight Defigns of French Chairs, which may be executed to Advantage. Some of them are intended to be open below at the Back: which make them very light, without having a bad Effect. The Dimensions are the same as in Plate XIX. only that the highest Part of the Back is two Feet, five Inches: But sometimes these Dimensions vary, according to the Bigness of the Rooms they are intended for. A skilful Workman may also lessen the Carving, without any Prejudice to the Defign. Both the Backs and Seats must be covered with Tapestry, or other fort of Needlework.

PLATE XXIV.

Two Defigns of Chairs for Gardens, and a long Seat. That marked A, is proper for Arbours, or Summer-Houses, and C proper for Grottos; the Seat marked B, may be placed with walks, or at the Ends of Avenues. The Backs may be cut out of the solid Board, and fixed to the Back Edges of the Seats. The Dimensions are as in Plate XVII. or XVIII. The Length of Seat B is seven Feet.

PLATE XXV.

Three Defigns of Chairs. That in the Middle is proper for a Library; the two others are Gothick, and fit for Eating-Parlours; the Dimensions as in Plates IX, and X.

PLATES XXVI. XXVII. and XXVIII.

Nine Defigns of Chairs after the Chinese Manner, and are very proper for a Lady's Dreffing-Room: especially if it is hung with India Paper. They will likewise suit Chinese Temples. They have commonly Cane-Bottoms, with loose Cushions; but, if required, may have stuffed Seats, and Brass Nails.

PLATES XXIX. and XXX.

Four Defigns of Sofas. When made large, they have a Bolfter and Pillow at each End, and Cushions at the Back, which may be laid down occasionally, and form a Mattrass. The upper Sofa, in Plate XXIX, is defigned to have the Back-Corners circular, which must look well. The Sizes differ greatly; but commonly they are from fix to nine, or ten feet long; the Depth of the Seat, from Front to Back, from two Feet, three Inches, to three Feet; and the Height of the Seat one Foot, two Inches, with Casters. The Scrolls are eighteen or nineteen Inches high, Part of the Carving may be left out, if required.

PLATE XXXI

A Defign of a Sofa for a grand Apartment, and will require great Care in the Execution, to make the feveral Parts come in fuch a Manner, that all the Ornaments join without the least Fault: and if the Emboliments all along are rightly managed, and gilt with burnished Gold, the whole will have a noble Appearance. The Carving at the Top is the Emblem of Watchfulness, Affiduity, and Reft. The Pillows and Cushions must not be omitted, though they are not in the Defign. The Dimensions are nine Feet long, without the Scrolls; the broadest Part of the Seat, from Front to Back, two Feet, fix Inches; the Height of the Back from the Seat, three Feet, fix Inches; and the Height of the Seat one Foot, two Inches, without Casters. I would advise the Workman to make a Model of it at large, before he begins to execute it.

P·LATE XXXII.

Two Designs of Couches, or what the French call Péché Mortel. They are sometimes made to take asunder in the Middle; one Part makes a large Easy-Chair, and the other a Stool,

Stool, and the Feet join in the Middle, which looks badly: Therefore I would recommend their being made, as in these Designs, with a pretty thick Mattrass. The Dimensions are fix Feet long in the Clear, and two Feet, fix Inches, to three Feet broad.

PLATE XXXIII.

A Defign of a Sofa with a Chinese Canopy, with Curtains and Valences tied up in Drapery, and may be converted into a Bed, by making the front Part of the Seat to draw forward, and the Sides made to fold and turn in with strong Iron Hinges, and a proper Stretcher to keep out and support the Sides when open. The Curtains must be likewise made to come forward, and when let down will form a Tent. A, is the Lath of the Curtain; B, Half of the Plan of the Canopy; C, the Profile of the Wood-Work; D, an Ornament that goes round the Inside; E, the Shell-work at the Bottom of the Canopy.

PLATES XXXIV. XXXV.

Ten Defigns of Bed-Pillars. A, B, C, D, E, in Plate XXXIV. are Gothick; b is the Plan of the Pillar B, and the Pedeftal Part; c is the Plan of C; d the Plan of D; and e of E. A Scale is annexed. No Length can be fixed, as that will be determined by the Height of the Room they are for. They are all defigned with Pedeftals, which must certainly look better than Bases of Stuff round the Bed, and the Pillars seem to be unsupported. The Designs are very clear, and need no farther Explanation.

PLATES XXXVI. XXXVII.

Seven Defigns of Cornices, for Beds, or Windows: They must look well, if they are rightly executed,

PLATE XXXVIII.

A Design of a Bed, with carved Cornices, which may be gilt, or covered with the same Stuff as the Curtains. These are omitted, but may be made either to draw up in Drapery, or to run on a Rod, as may be seen in some of the other Beds. The Sweep at the Top of the Tester is Half of a slat Ellipsis, as at b. A is the Lath a; B is the Corner-Rib, which goes from Corner to Corner, crossing in the Middle. C is the Rib which goes from the Middle of the Lath, a; which Sweep is got by the Intersection of Lines, as at B. D is the Moulding which goes round the Inside of the Tester. The Cornice must rise as high as it can, to hide the Top of the Tester. The Bed-Pillars have Pedestals, and the Bases are fitted between.

PLATE XXXIX.

A Bed which has been made for the Earls of Dumfries and Morton. One of the Pillars is composed of Reeds, with a Palm-Branch twifting round. The Tester is covered, and the Bottom-Edge of the Cove is cut into the Shape nearly that of the Cornice, and a thin, slight Ornament fixed on, and the Inside Valens fixed to it. In the Middle of the Tester is a carved, oval Ornament, three Feet, nine Inches, by two Feet, eight Inches; and from that to each Corner, is a Piece of Foliage and Flowerings. The Corner-Pieces, which come down from the Cornice, are Wood, and the Valens fixed to them. The Pillars are eight Feet, six Inches high, and the Bedstead six Feet, seven Inches long, and six Feet wide.

PLATE XL.

A Defign of a Bed, with a Plan and Section of the Tester. D, A, C, is the Section, and D, B, C, Half of the Plan. The pricked Lines that fall from the Section, give the Lines for the oval Cove in the Plan. The Curtains may be made either to be tied up in Drapery, or to draw on a Rod: The Pedestals look better uncovered. The Dimensions as in Plate XXXIX.

PLATE XLI.

A Defign of a Bed, with the proper Dimensions, and requires no Explanation. B is another Cornice, which may be covered with the same Stuff as the Curtains. a, a, a, are the Lath, with Pullies to draw up the Curtains.

В

PLATE XLII.

A Design of a Canopy-Bed, with its Head-Board. Both the Curtains and Valences are to draw up in Drapery. The Dimensions are specified: a is a fourth Part of the Tester; c is a small oval Dome in the Inside; b, d, the outside Canopy; k, b, a Mosaick Work in the Flat round the Dome; i is the Lath which goes round the Bed; f is the Bed-Pillars; k, k, k, the Places where the Pullies are fixed to draw up the Curtains.

PLATE XLIII.

A Defign of a Dome-Bed. The Bottom-Edge of the Dome, or Lath, g, is the Half of a flat Ellipfis. A, A, A, are the Lath which the Dome is fixed to, and made into the Shape of the Lath, g, which the Cornice is fixed to. B is the Quarter of the Dome, with Ornaments in the Center and Corners; C is the other Quarter; e, e, e, the Ribs which form the Dome; o, o, o, the Center and Corners; C is the other Quarter; e, e, e, the Ribs which form the Dome from Corner to Corner; the Spaces between the Ribs, e, e, e, may be filled with light dry Wood; l is a Block in the Center, to fix the Ends of the Ribs in; m, m, the Plan of the Bed-Pillars; f is the Plan of the Rib, which cuts the Dome through from Side to Side; the Spaces, i, i, and k, k, where the Sweeps of all the other Ribs, e, e, e, e, may be got, which form the Dome, C; p, q, is the fame Height as P, Q; n is the dotted Line which cuts the Dome from Corner to Corner; r, r, r, the Height as P, Q; n is the dotted Line which cuts the Dome from Corner to Corner; r, r, r, the Pullies for the Lines to draw up the Curtains; S is another Cornice. A Scale is annexed, to Pullies for the Dimensions of the Plan and Profile. The Bedstead is fix Feet wide, fix Feet, seven Inches long, and one Foot high; and the whole Height without the Vase, is ten Feet, four Inches, and the Vase itself eighteen or twenty Inches.

PLATE XLIV.

A Defign of a Gothick Bed, with a flat Tefter. The Cornice will look very well, if rightly executed. A, is the Lath; c, c, c, the Pullies where the Lines are fixed to draw up the Curtains; B is an Ornament, made of Lace or Binding; for the Tefter.

PLATE XLV.

A Defign of a Bed. The Feet-Pillars and Corners of the Cornice are different. The Head-Part of the Bed must be in the same Shape, all the Way up to the Canopy, as the Foot-Rail and Foot-Cornice, and continued in the Canopy to the upper Work, which goes round the top Part of it. The flat Part of the Canopy in the Inside must be pannelled, and a carved Ornament go round it. The Pillars stand with the Angles forward, which give an Advantage for the better sinishing of the Corners of the Cornice, and the Ornaments which go up each Corner of the Canopy. The Lath of the Tester must have the same Shape as the Plan of the Pedestal-Part of the Bedistead. The Sides of the Bed run streight.

PLATE XLVI.

A Design of a Couch-Bed, with a Canopy. The Curtains must be made to draw up in Festoon, with Pullies properly fixed to the Pillars. e is a Brass Rod which supports the Canopy; G is the Lath which fixes on the Top of the Pillar; F, the Canopy; D, in the Plant, is the Line D above; E, E, is the Line e, e, above; c, c, the Shape of the Lath of the Canopy; K is a Projection where the Ornament is fixed on, which goes up each Corner of the crooked Part of the Pillar, and is fixed on after the Furnitute is put on; H is the Moulding, carved in Strapwork, or Shellwork, to go round the Canopy. The Dimensions are fix Feet, eight Inches long, and five Feet Broad; but there is no Necessity for its being so broad.

N. B. This Couch was made for an Alcove in Lord Pembroke's House, at Whitehall.

PLATE XLVII.

A Design of a State-Bed, which I submit to the Judicious and Candid, for their Approbation. There are found Magnificence, Proportion, and Harmony. If the Pedestals of the Bedflead, the Pillars, Cornice, and Top of the Dome, are gilt with burnished Gold, and the Furniture is suitable, the whole will look extremely grand, and be sit for the most stately Apartment. The ingenious Artist may also, in the Execution, give full Scope to his Capacity. The

Bedftead should be fix or seven Feet broad, seven or eight Feet long, and the whole Height fourteen or fifteen Feet. A Workman of Genius will easily comprehend the Defign: But I would advise him, in order to prevent Mistakes, to make first a Model of the same at large, which will save both Time and Expense.

PLATE XLVIII.

A Design of a Gothick Bed, with Drapery Curtains. The Pillars are made into eight Cants, and indented. B is a fourth of the Tester; a, a, the same Length as A, A, above, in the Section, which goes from Corner to Corner, to form the Roof, and then you have the Corner-Hips formed. Divide the Length, A, A, as you see it, and then raise two Perpendiculars up to B, and divide that Length into the same Number of Divisions as below, which give the Sweep of the Ribs, c, c, c. The Curtains are drawn by Lines on each Side of the Bed, as may be seen, by Pullies being fixed at the Corners. The other Parts require no Explanation.

PLATE XLIX.

Four Defigns of Tent, or Field-Beds, A, B, C, D. That marked A hath a Canopy, which begins to form itself at e, e, with sour Ribs, which fix into a Lath at f. The Dome may be omitted, and four Vases put in at the Corners of the Canopy, which is made into eight or ten Cants.

The Furniture of all these Bedsteads is made to take off, and the Laths are hung with Hinges,

for Convenience of folding up.

The Bed at C. The Laths which form the Tefter are streight in Front, and are made into the Shape of the Ornament the other Way. In the Center is a Canopy, with eight or ten Ribs, (made to take out) and fixed into a separate Lath.

The Beds D and B have no Canopies, and are made in the same Manner as the other two.

PLATÉ L.

A Couch with a Canopy. The Curtains must be made to draw up in Drapery, and to let down, when it is occasionally converted into a Bed. This Sort of Couches is very fit for Alcoves, or such deep Recesses as are often seen in large Apartments. It may also be placed at the End of a long Gallery. If the Curtains and Valences are adorned with large Gold Fringes and Tassels, and the Ornaments gilt with burnished Gold, it will look very grand. The Crane, at the Top of the Canopy, is the Emblem of Care and Watchfulnes: which, I think, is not unbecoming a Place of Rest. The Length of the Bed cannot be less than six Feet in the Clear, but may be more, if required. The Breadth is three Feet, or more, in Proportion to the Length, The Height must be determined by the Place it is to stand in.

PLATE LI.

Two Defigns of Tables for holding each a Set of China, and may be used as Tea-Tables, A, A, are Half of the Plans of the Tops. C is an Ornament to go between the Feet. Those Tables look very well, when rightly executed.

PLATE LII.

A Design of a Dressing-Table for a Lady; the Drawer above the Recess hath all Conveniences for Dressing, and the Top of it is a Dressing-Glass, which comes forward with folding Hinges. On each Side is a Cupboard, with Glass Doors, which may be either transparent or silvered; and in the Inside, Drawers, or Pigeon-Holes. Two Dressing-Tables have been made of Rose-Wood, from this Design, which gave an entire Satisfaction: All the Ornaments were gilt. B is the Plan of the under Part; A, A, the Plan of the Cupboards; C the Plan of the Dressing-Drawer; d, d, a Glass made to rise, and hung with Hinges; f,f, Places for Combs, Rings, Bottles, Boxes, &c. The Dimensions are fixed to the Design.

PLATE LIII.

Two Deligns of Breakfast-Tables. One hath a Stretching-Rail, and the Feet are canted and funk in. The other hath a Shelf, inclosed with Fretwork: Sometimes they are inclosed with Brass Wirework. In the Front is a Recess for the Knees, &c.

PLATE LIV.

A Defign of a Shaving-Table, with a folding Top, and a Glass to rise out with a Spring-Catch. A, A, are Places for holding Soap and other Necessaries, and behind them are Places for Razors; B, B, Places for Bottles; D is a Scheme to bring the Glass forward, when a Gentleman is shaving; g is the Glass brought forward, with a Brass Frame; f, f, f, is the Joints as it is hung; C is a small Piece of Brass, which slides up and down in a Groove, as may be seen by the dotted Line. The Dimensions are fixed.

The other is the Design of a Bason-Stand, with a Glass to rise, as the Shaving-Table.

PLATE LV.

Three Defigns of Bason-Stands, and three Tea-kettle-Stands. The Bason-Stand in the Middle hath four Feet, and four Gothick Pillars, and an Arch on each Side. The others are fo eafy to understand, that they want no Explanation.

PLATES LVI. LVII.

Two Designs of Side-Boards, with their Dimensions; but these vary according to the Bigness of the Rooms they stand in. The Mouldings are at large.

LVIII. LIX. PLATES

Two Side-Boards, as above. The Feet and Rails of Plate LIX. are cut through; which gives it an airy Look; but will be too slight for Marble-Tops: Therefore the Tops will be better made of Wood. Plate LVIII. hath different Feet, for the greater Choice: The Mouldings as in Plates LVI, and LVII.

PLATE LX.

A Gothick Side-Board, with different Feet, one cut through, the other folid. A is the Square of the folid Foot; b, b, the Rails mortifed into the Foot A; g is the Plan of the Moulding g; F, e, the Moulding for the Top, drawn round the two front Columns, F, e, in the Plan; the Moulding in the Plan D, which goes round the Frame; e is the small Astragal, which is turned upon the Columns.

PLATE

Two Side-Boards, with different Feet. B is the Plan of the Table above it; A, A, A, is where the Feet are placed; c, c, c, the Mouldings at large, drawn to an Inch Scale.

PLATE LXII.

Two Defigns of Commode-Bureau-Tables, with their Plans below, and proper Scales. The upper Drawer may be of the whole Length of the Table, and have the fame Divisions as C of Plate LII. The Recess for the Knees is of a circular Form, which looks more handsome than when it it is quite streight.

PLATE LXIII.

Two Bureau-Dreffing-Tables. The upper Drawers may be divided in like Manner as at C, Plate LII. The ornamental Parts are intended for Brass-Work, which I would advise should be modelled in Wax, and then cast from these Models. The under Parts may be made into Drawers instead of Cupboards. The Dimensions are specified.

"PLATE

PLATE LXIV.

A Commode-Table, with a Scale and Dimensions. A is Half the Plan; B is the Upright of the Table.

PLATE LXV.

A Commode-Table. A is the Plan of the Top with a Scale of the Dimensions. It will have a very good Effect, if well executed: The Ornaments may be omitted in the upper Drawer, if required.

PLATE LXVI.

A Commode-Table. A is Half of the Plan. B is the Upright of the Table. C is the Mouldings of the Top, with a Scale to take off the Dimensions.

PLATE LXVII.

Two Commode-Tables. That in the Right is all Drawers in Front; the upper one may be a Dreffing-Drawer, and of the whole Length of the Table. The ornamental Parts are carved out of Wood. That on the Left may be divided into nine Drawers, or have only three of the whole Length of the Table. The Dimensions are specified: The Ornaments may be of Brass, if required.

PLATE LXVIII.

Two Commode-Tables. That on the Left is drawn in Perfpective: The Ornaments may be Brafs; the Middle is a Door, with a Drawer above, and Drawers at each End. That on the Right hath two Doors, which represent Drawers, and a long Drawer above: The Pilasters at the Ends must be fixed to the Doors, and open with them. The Plan is below, with a Scale.

PLATE LXIX.

A Commode-Table, with Drawers at Top and in the Middle, and Doors at the Ornaments should be carved very light: The Terms for the Corners are different, the Plan. B the Upright of the Work, and a Scale for the Dimensions.

PLATE LXX.

Two Commode-Tables. That on the Right hath Doors, and may have fliding Shelves within for Cloaths: The Ornaments on the Corners, and at the Bottom of the Doors, may open with the Doors. That on the Left may have either Drawers, or Doors, at the Ends.

PLATE LXXI.

A Commode. The Bass Relief in the Middle may be carved in Wood, or cast in Brass, or painted on Wood or Copper. That Part in the Middle may be a Door, with the Ornaments on it, and the End Parts in the same Manner. On the Top of the Commode is a Design of a Sur-tout, to be made in Silver: A Candlestand at each End is very proper. I would advise to model this Design before Execution, as it will save Time, and prevent Mistakes.

PLATE LXXII.

A Writing-Table, with Drawers in the under Part. In the Middle of the upper Part are fmall Drawers, and Pigeon-Holes, and a Place for Books. A is the Plan of the upper Part; B the Plan of the under Part; C the Cornice; D and E the upper and lower Mouldings of the upper Part. The Dimensions are specified.

PLATE LXXIII.

A Writing-Table. Half of the front Feet come out with the Drawer, which parts at b, b. A is the Plan of the Table, with the Partitions; g is a quadrant Drawer, for Ink and Sand. D is the

the Profile of the Side of the Drawer; B, B, the Plan of the front Feet; c, c, the Mouldings which go round; f, f, the Projection of the Top of the Table.

PLATE LXXIV.

A Writing-Table, as LXXIII. A is the Plan of the Table; B the Flap which rifes to write upon; C, B, the Slider that flides, as in the Profile f, f; D, D, the Drawers at the Ends; E, the Profile of the Table.

PLATE LXXV.

A Writing-Table. The Doors at the Ends may go up to the Top, and have upright, fliding Partitions for Books, or Drawers, within. The middle Drawer need be no longer than the Opening of the middle Part, and must be made into a Writing-Drawer. The upper Part hath two Doors; the Infide is divided into Pigeon-Holes, with Labels of the Alphabet over them, and Drawers on each End. The Mouldings are at large, and a Scale. On the left Hand is a different Defign of an under Part.

PLATE LXXVI.

A Writing-Table in the Gothick Tafte. The middle Part hath a Recess for the Knees, as may be seen by the Plan B. The Pillars are fixed to the Doors, and open with them. A is the whole Plan; b, b, b, b, the Pillars, as in the Plan C, d, d, d; E, g, the Plan of the Top of the Table; f, f, the Plan of the Mouldings f, f, which go round the Pillars: The Dimensions are specified.

PLATE LXXVII.

A Library-Table, with its Plan and Profile. The Drawers in the upper Part must draw out at each End of the Table. It has Doors on both Sides, with upright Partitions for Books, and Drawers on the other Side within the Doors. The hollow Corners raust be fixed to the Doors; and to open with them. The Mouldings are at large, with a Scale.

PLATES LXXVIII. LXXIX.

Two Library-Tables, as above, with the Dimensions to them.

PLATE LXXX.

A Library-Table. The Ends form an Oval, with carved Terms fixed to the Doors, which must be cut at the Astragal, and base Mouldings, to open with the Doors. On the Left are the Plan and the Upright, with some Variations in the Terms, and a Scale, with the Mouldings at large.

PLATES LXXXI. LXXXII.

Two Library-Tables. Plate LXXXII. hath a Writing-Drawer, which draws out at one End, and hath Term-Fect to support it, as may be seen at B, and are fixed at the End as in Plan A; C is a Top, which rises with a double Horse, to stand to read or write upon; e, e, are the Horse, with the Hinges marked: The Scale and Mouldings are at large.

PLATE LXXXIII.

A Library-Table, with circular Doors at each Corner. The other Doors and Terms, or Pilasters, are different, for the Sake of Variety. The Dimensions are specified, and Mouldings are at large.

PLATE LXXXIV.

Three Library-Tables. A hath three Drawers at Top on each Side, and Doors below; B hath three Drawers at Top on each Side, with a carved Festoon of Flowers on the four end Drawers. The middle Drawer goes from Front to Front, for holding Maps, Prints, &c. The Doors may have carved Palm-Branches put on them. C hath its Ends in a curve Shape, and are made separate, and fixed to the Top; the middle Drawer is fixed in afterwards: The Ornanients are

3

II

intended for Brass-Work. The Breadth is three Feet, or three Feet, two Inches. D is the Moulding for A, or C. The Moulding for B is on the right Hand, with a Scale.

PLATE LXXXV.

A Gothick Library-Table. The Corners are canted with proper Breaks, and three-quarter Pillars fixed on the Edges of the Doors, and they open with them.

PLATE LXXXVI.

Is the Plan of the above Table, with its Mouldings; a, a, a, are the Places where the Pillars are fixed. A is the Plan of the Pillars, and a Scale.

Figure 1 is a Method for working and mitering Mouldings of different Projection. Suppose B a Quarter of a Circle, or Moulding, divided into nine Parts, and the last Division into two; then plan the Moulding B at D, and divide it into the same Number of Parts, and draw the Diagonal, suppose L, L; and where the Divisions intersect in L, L, draw the Division in A; then raife Perpendiculars from A, and you have the Projection of the other Moulding at B. Now where the Perpendiculars, 1, 2, 3, 4, &cc. interfect in B, draw e, e, e, to d, d, d; then where they interfect in d, d, d, are the Parts where the Moulding is to be traced, or drawn by Hand.

To cut the Mitres. Suppose the Mouldings worked at F, F, and fit for the Mitres to be cut,

draw a Line across the Mouldings f, f, f, &c. then take the Distance c, L, and set it off at C, f, after the Divisions at A: then take the Distance e, L, and set it off at E, f, after the Divisions at D. Raife Perpendiculars at C and E; then draw the Parallels at e, e, e, to the Perpendiculars at C and E, and where they interfect, are the Points where you are to cut, directed by the

P L A T E LXXXVII.

Two Bookcases. The little one is drawn in Perspective. F, F, are two circular Doors, which make a Recess for the Knees. B is a Drawer, which may have Conveniences for writing or drefling at; the upper Door is intended to have a Glass. A is a different Cornice for the Bookcase, E, with a Scale to take off the Dimentions. D is the Profile of it. The upper Doors are

P L A T E LXXXVIII.

r Is two Defigns of Bookcases, with Glass Doors in the upper Parts. They are drawn to an Inch Scale, and if it should be required to make them larger or less, it is only making a Scale more or less than an Inch, or to divide the whole Length into as many Feet, or Feet and Inches, These Cases are fourteen or influent Inches deep, and the lower Part must project four or five inches angree than the upper Part; at least they look better so.

PLATE LXXXIX.

A Gothick Bookcase. The upper Doors are intended for Glass. A is the Plan of the Stile of the Door; Disthe Gothick Pillars, glued to the Door; B the Plan of the upper Part; C the Plan of the under Part. The Mouldings are at large on the Left, with a Scale. E is a different Top for the middle Part. There must be quarter Pillars in the internal Angles of the upper Part, and half Pillars at the back Corners, &c.

PLATES XC. XCL

Two Bookcases, with their Dimensions and Mouldings at large in Plate XC. The Mouldings in Plate XCVI. are proper for XCI. If you are inclined to alter these Dimensions, observe the Rule given at LXXXVIII. and so of all the others.

PLATE XCII.

A Bookcase without Doors to the upper Part. The Trusses Pilasters, and Drops of Flowers are pretty Ornaments, as well as those on the Pediment, and of the bottom Doors: But all of them may be omitted, if required. The Scale and Profile are annexed.

PLATES

(14)

PLATE CXVL

A Writing-Table and Bookcase for a Lady: The upper Doors are intended for Glass. The middle Feet come out with the Drawer, which hath a Slider covered with green Cloth, or Spanish Leather, for writing upon. A is the Plan of the upper Part; B of the under Part. The Mouldings are at large, and a Scale. The circular Parts at the Ends may be Drawers.

PLATE CXVII.

A Writing-Table and Bookcase, as Plate CXVI. A is Half the Plan of the upper Part. B of the under Part. The Mouldings are at large, with a Scale.

PLATE CXVIII.

A Toilet, or Dreffing-Table, for a Lady. The Dreffing-Drawer under the Glass should be divided in the same Manner, or nearly, as at C, in Plate LII. The end Parts open with Doors. In the Recess are two Drawers. On the Top is a large Looking-Glass, which comes to the Front with joint Hinges, and over it a Compartiment; and on each Side, End-Parts, with Doors that represent Drawers. The Ornaments should be gilt in burnished Gold; or the whole Work may be japanned, and the Drapery may be Silk Damask, with Gold Fringes and Tassels.

PLATE CXIX.

A Toilet, as above. The Glass, made to come forward with folding Hinges, is in a carved Frame, and stands in a Compartiment, that rests upon a Plinth, between which are small Drawers. The Drapery is supported by Cupids, and the Petticoat goes behind the Feet of the Table, which looks better. The ornamental Parts may be gilt in burnished Gold, or japanned.

PLATES CXX. CXXI.

The Mouldings are at large, and Dimensions fixed. Plate CXXI. hath Two Cabinets. different Feet.

PLATE CXXII.

Two Defigns of Cabinets; that on the Left hath folding Doors: The Ornament which is on them will conceal the Joining. These Ornaments may be Brass, or Silver, finely chased and put on; or they may be cut in Filligree-Work, in Wood, Brass, or Silver. B is Half the Plan.

That on the Right has one Door in the Middle, and Drawers on each Side. All the Ornaments which are on the middle Door, at Top, Bottom, and two Sides, must be fixed fast, and to open with it: The Feet, as well as all the ornamental Parts, must be cast in Brass, or Silver, A is Half the Plan.

PLATE CXXIII.

An India Cabinet, with Drawers in the Middle, and different Doors at the Ends. The Frame is pierced through, but may be folid, and the Fret glued on. The Dimensions are specified, and the Mouldings at large, with a Scale.

PLATE CXXIV.

A Gothick Cabinet. The Gothick Work at Bottom is intended for a Drawer. The middle Part at B is open, and hath Shelves with Frets on the Edges. The Dimensions are fixed, and a Scale.

PLATE CXXV.

A Cabinet with Term-Feet, The middle Part is a Door, with Gothick Pillars fixed on, and open with the Door, and hath a Glass, which may be either filvered or transparent. The Ornaments are carved Wood. The under Drawer at D goes the whole Length, is pierced through,

(15)

but may be folid, and relieved, or funk, with a small Moulding wrought round. C, B, A, are the Mouldings. A Scale is annexed:

P L A T E CXXVI.

A Cloaths-Press, and a Cloaths-Chest. The Press hath sliding Shelves, which should be covered with green Baize, to cover the Cloaths. The Sizes are fixed, but are often made larger.

PLATES CXXVII. CXXVIII.

Four Cloaths-Chefts upon Feet. They may open in Front, and have sliding Shelves, as in Plate CXXVI.

PLATE CXXIX.

A Cloaths-Press in two Parts. The upper Part as CXXVI. The under Part is Drawers for Linen, &cc.

PLATE CXXX.

A Cloaths-Press in the Shape of a Commode. The upper Part hath different Doors. The Ornaments may be omitted, if thought superfluous.

PLATE CXXXI.

A Cloaths-Press with different Doors. The under Part is in Shape, with carved Ornaments for the Feet, which go up the Corners. B is the upper Part; A the under Part. The Mouldings are at large, with a Scale.

PLATE CXXXII.

A China-Cafe, with Glass in the Front and Ends, to shew the China. The Feet are cut through, but may be folid, and the Frets glued on as on the Rails. The Rail in Front is divided into three Drawers. The Dimensions are fixed, and Mouldings at large.

PLATE CXXXIII.

A China-Cafe, as above. The Canopy projects more at the Ends than Front. For the Method of working, fee Fig. r. Plate LXXXVI. The Mouldings are at large, and a Plan of the middle Stile of the two Doors lapped together, as you will fee by the dotted Line.

PLATE CXXXIV.

A China-Case, as above. The Profile is on the Right: Between the middle Feet is a small Canopy, for a Chinese Figure, or any other Ornament.

PLATE CXXXV.

A large China-Cafe, with Glass in the Doors and Ends. The top Part is intended to be open in Front. The Profile is on the Right, and a Scale. The Ornaments on the Feet may be left out, and a Plinth put in their Stead. This Piece of Work may be made of a foft Wood, and japanned, or painted and partly gilt.

PLATE CXXXVI.

A China-Cafe. The Mouldings are on the Left, and the Dimensions fixed.

PLATE CXXXVII.

A China Cafe, very proper for a Lady's Dreffing-Room. It may be made of any foft Wood, and japanned any Colour. The middle Part hath two Doors, and the middle Stiles are lapped together, as in Plate CXXXIII.

It will be best to make the Middle and Ends separately, as also the upper Work of the Canopies, Frets, &c. The Feet are cut through; but the Rail of the Frame must not, as it will be too weak to support so large a Piece of Work. The Front and Ends are intended for Glass. The Ends of the Canopies in the Middle project much more than in the Fronts: And for the Method of working and mitring, see Plate LXXXVI. Fig. 2. The Mouldings are at large, and Dimensions specified.

PLATE CXXXVIII.

Two Shelves, for Books or China. That on the Right is intended for Glass in the Doors and Ends, as at C. B hath no Doors, nor Frets on the Edges of the Shelves, but may if defired: Under the End-Parts are carved Brackets, which make a good Finishing. C is the Profile, with a Scale.

PLATE CXXXIX.

Two Shelves, as above. That on the Left hath a Fret-Door, with Glass in it. The Fret at Bottom may be two Drawers. b is the Profile of B. That on the Right hath no Glass in the Doors. a is the Profile of A. The Scale is annexed.

PLATE CXL.

Two Shelves, with Canopies, with their Plans and Scales.

PLATE CXLI.

A Shelf for China. The Canopy is a Kind of Dome, pierced through. The Plan, Profile, and a Scale are on the Right.

PLATE CXLII.

This Shelf is intended for japanning. The Fretwork at the Ends is defigned for Doors. The Supporters of the Canopies of the Ends stand at the Corners, and are joined in the Middle. The Feet are pierced through. A is the Plan, with a Scale

PLATE CXLIII.

A Shelf, as above. The Plan and Scale are on the Left. The three Squares marked in the Plan, are the Sizes of the upper Shelves.

PLATE CXLIV.

Six Candleftands. They are from three Feet, fix Inches, to four Feet, fix Inches in Height. They have three Arms, and three Feet each, and the Sides are mitted together.

PLATE CXLV.

Four Candleftands, as above, which, if finely executed, and gift with burnished Gold, will have a very good Effect.

PLATE CXLVI.

Four Candlestands. That in the Middle is in the Chinese Taste, and will hold seven Candles.

PLATE

(17)

PLATE CXLVII.

Four Candlestands, which may be converted into Terms for Busts. That on the Lest is intended for a Glass Globe, fixed at the Bottom in a Piece of Ornament: The Socket for the Candle may be fixed on a Piece of Wood, which may go down the Term, and be so contrived as to be raised up by a small Line and Pully.

PLATE CXLVIII.

Four Terms for Busts, with the Plan below each, and a Scale.

PLATE CXLIX.

Three Stands for China Jars, and may be either gilt or japanned.

PLATE CL.

Six Pedestals. Two have Emblems of War, and one of Musick and Poetry.

PLATE CLI.

Four Cifterns: The Ornaments should be Brass. The Ciftern at Bottom should be made of Wood, or Marble, and cut out of the Solid. The others may be made in Parts, and joined with the Brass Work.

PLATE CLIL

A, B, C, D, E, Five Lanthorns, for Halls, Passages, or Staircases. Two of them are square; the others have six Sides, and are generally made of Brass, cast from wooden Moulds: A Scale is annexed.

PLATE CLIII.

Three Lanthorns. That in the Middle is very large. That on the Left is in the Form of an Egg; and that on the Right hath the Corners hollowed in, as may be seen by the Plan.

PLATES CLIV. CLV.

Ten Chandeliers. That on the Left in Plate CLV. hath only four Sides; all the others have fix Sides. The two at the Bottom of Plate CLIV. are folid; but I think the open ones preferable. They are generally made of Glass, and sometimes of Brass: But if neatly done in Wood, and gilt in burnished Gold, would look better, and come much cheaper.

PLATE CLVI.

Three Fire-fcreens. A and B have each two Leaves, which fold together, and the Fret which up and down.

The other Screen stands on a Pillar, and slides

PLATE CLVII.

Three Fire-fcreens, which stand on four Feet, and are commonly called Horse-Fire-screens. That on the Left slides up. The Wood-Work of all of them should be gilt in burnished Gold.

PLATE CLVIII.

Three Fire-fcreens. That on the Right hath two Leaves, which fold. The others have Pillars, and flide up and down.

(18)

P L A T E CLIX.

Six Tea-Chests. The Ornaments should be of Brass, or Silver: The Plans are below, with a Scale.

PLATES CLX. CLXI.

Nine Brackets for Busts. Their Dimensions cannot be fixed.

PLATE CLXII.

Three Brackets for Marble Slabs. A may be the front Rail to any of them.

PLATE CLXIII.

Two Clock-Cases, with their Plans.

PLATE CLXIV.

Three Clock-Cases. a is the Plan of the Head and middle Part of that on the Left; B is

the Plan of the Pedestals; and C of the Moulding which goes round it.

The Head-Part of that in the Middle is supported by two Ionick Columns and Pedestals.

A, A, are the Columns, which may be hollow, and the Weights of the Clock go down them. For the opening Parts, you may cut the Columns in the Middle; one Half remains fixed, the other opening rans, you may cut the Columns in the Middle; one ran remains fixed, the other opens as a Door. C is the hollow Part, where the Pendulum fwings. B, B, B, the Glaffes. A, A, at the Back are two Pilafters: on the Top are some Emblems of Time. That on the Right, hath a Serpent, that goes round the Dial-Plate, representing Time lasting to Eternity, and the Wings on the Sides shew how swiftly it flies away.

PLATE CLXV.

Two Table Clock-Cases, with a Scale, and Half of their Plans. C is the Plan of that on the Left; B is the Plan of the Base; A is the Plan of the Cornice; c, f, the Plans of the Columns. The Ornaments which go round the Glass on the Left, must be a Door.

PLATE CLXVI.

Five Clock-Cases. That in the Middle is very large, and fit for a Public Hall, or an Assembly-Room. The other are for Spring-Clocks.

PLATES CLXVII. CLXVIII. CLXIX.

Pierglass-Frames, with a Scale, but the Dimensions cannot be determined.

PLATE CLXX.

A Table and Pierglass. A skilful Carver may, in the Execution of this and the following Defigns, give full Scope to his Capacity.

PLATE CLXXI.

Two Frames of Pierglasses.

CLXXII. PLATE

Four oval Frames.

CLXXIII. PLATE

Two Architrave Frames, with Heads.

PLATE

(19

PLATE CLXXIV.

Two Ovals:

PLATE CLXXV.

Four Frames of Tables.

PLATE CLXXVI.

Two Frames of Tables. The uppermost is a Dorick Entablature, with its Triglyphs and Metopes, supported by two Cariatides. The undermost is supported by two piping Fauns, leaning against two Vines, intermixed with Foliage, &c. It will have a grand Appearance, if executed with Judgment, and neatly gilt.

PLATE CLXXVII.

Five Girandoles.

PLATE CLXXVIII:

Three Girandoles. That on the Left is a Piece of Ruins intermixed, with various Ornaments.

PLATE CLXXIX.

Two carved Chimney-Pieces, with Glasses, Frames, and other suitable Ornaments.

PLATE CLXXX.

Two Chimney-Pieces in Architecture, with the Plans of the Columns below. The Columns may be whole.

P L A:T E CLXXXI

Two Chimney-Pieces, with Glasses.

THE PLATE CLXXXII.

A Chimney-Piece, which requires great Care in the Execution. The Imboffments stuft be very bold, and the Foliage neatly laid down, and the whole properly relieved. The Top may be gilt, as likewise some other ornamental Parts.

PLATE CLXXXIII.

A Chimney-Piece of Architecture, intermixed with Trophies, &c.

PLATE CLXXXIV.

A Chimney-Piece composed of Architecture, Sculpture, and Ruins. Great Care will be necessary in executing the upper Part: The Ornaments must be carved very bold, so that the Ruins may serve as Bass Relief. The under Part should likewise be very bold, and the Dog entirely free. It would not be amiss, if the whole was modelled before it is begun to be executed.

PLATE CLXXXV.

A Frame for a Picture. The Corners are Trophies of Hunting, Mufick, &c.

PLATE CLXXXVI.

A Frame with warlike Trophies in the Corners and Middles.

PLATE CLXXXVII.

A Frame for a Picture of an Engagement at Sea.

PLATE CLXXXVIII.

Two Tabernacle-Frames proper for Stair-Cases.

PLATE CLXXXIX.

Eight Shields, which, as they are often placed very high, should be very build. They may serve as Ornaments to Pediments.

PLATES CXC. CXCI.

Eight Stove-Grates. I would recommend the ornamental Parts to be of wrought Brafs, and as they may be made to take off, will be eafily cleaned.

PLATES CXCIL CXCIIL

Eight Designs of Frets.

PLATES CXCIV. CXCV.

Ten Defigns of Borders for Paper-Hangings.

PLATE CXCVI.


Three Defigns of Fret-Work.


PLATES CXCVII. CXCVIII.


Four Defigns of Chinese-Railing. They are genteel Fences for Gardens, &c.

PLATES CXCIX. CC.


Defigns of Handles and Scutcheons, of Brais-Work, for Cabinet-Work. A and B are Handles for Tea-Chefts.









































Hound wall






T'Unypendale inv. de delin.

Aut." according to let of Parliam" 2753.







Mark words "

- And "nowording to act of - Parlament 1750

T. Chuppendale Invest del






inan la

Chippenalide The A led









Pub. according to act of Perdiam. 1961.

. Jaylor Souls ...

in it is then the it




Chairs.



. Is implor stratus.

Township in It











Backs of Chairs.





























- Int. according to act of Latham. 1750.

". Yanler Soulp.




Hall Chairs .





J. Miller Sculp.

J. (Hippendalo met 11 del.



French Chains.





My nordal invested dets.






Put according to Use of Particen 1753

T' Shuppendale ine tot del






Put avording to thet of Partiant 1753


Daving south

"(Thypendale env. et del.



Trinch Chairs. -






Reb : according to Oct of Parliam! 1759.

J. Taylor sculo.




Designs for Garden Seats.




Pattished according to the of Parlement roll


. I Chappendate inc' of delin

Darly Souly



Designs of Chairs.































Published According to Act of Parliament


T. Chippendale inv. et delin.


M. Darty Soulp.




N.º XXVII.


Darly wang














Published Hoeording " At of Partiament

M. Darty, Gulp




N°XXIX.






of fore in lite and to the Published neverth to let of Parliament & 1,00 . -

Je sylor went



Sofas. -

. N°XXX.






T. Gippendale in the del . . . - Publish I according to Act of Parliament 1759


A. Faylor seul








Designs for Couches -



- Inthistid according to Act of Dartion! 1961.


Barly Soulpt


J. Chippendale invier delin





W Darty South















Tublished Decording to the Act. 1762.

J. Chippendale inv. et del.

J. Saylar Seuly.




Comicas for Beds or Windows . -




- Published according to Wet of Parliament 1:30.





Quelished accord? to . let of Partiament 1759.

This and do and I dit .




· A Bedo -


. N° XXXIX.





I (hippendale in vet dels.


Lablishit accord! to Oct of Parliament 959. - J. Hitter Seuly . -





















į



Published according to Oct of Prolimme

M. Barly Souln.



Design for a Bed . _


Nº XLV



of the other at deline


· Published according to Acts of Parliament 1762.

Saac Taylor Sculp.



Latter led and ling to Clet of Partiament 150.

" Com drie in Set del.




· 1 Design for a State Bed ?

D. Chippendale inv tet delin.


Published according to let of Partiament /2. 1961.


I Faylor soul





La Muller South
















Designs for Field Rods.












Sarc Taylor Sculy .







Y. Chippendale invect delin

Published according to Act of Padiant 1.60.


Marly Soulje






Intertal according to del y Parlement

A Darry, Oouth




. A Ladyis Drepsing Table




Poblishil according to Oct of Parlament 1,61. -

M. Faster Soulp.










Hall hat as velough atty Portune


M. Darielle el ele







Bublished according to tet of frartismont 21761.


















Marly Souls -

J. (Hippendale inv. et delin?










T. Chappendale unvist iel

Pub "according to let " bordam" 123









Publish awardeng to Ust of Porliament, 1753.

T. Chappendale my 5.1 151

" Bush history







Pal arresting to arter Parliametiss.

T Thuppendale mv. ct del.

LyMaller walp






Toub." according to . Act of "Partiam." 1753.


T.Chippendale inv et del

Darly drulpt


1










Pub-d according to Act of Parliam. 1753.




"Darly Southto












- Burac Drofsing Tables.







Interched according to dest of Cortional year.

Il voendate un'a delin









. Lublinked according to Oct of Landiament ofter .-

. 1. Ospopandale invite delina






" Pub." according to Act of Partiam " 1753

Tollype date in some

Marky Souther






Publa according to Act of Parliam, 1753


Marky Soulpt

T. Prippendale inv." et del."



French Commode Table.

Nº LXVI.




but according to Act of Partian 1753

TMuller south

Chappendale onv tet del




Two Disigns of Commode Tables .





Published according to Oct of Darleum, 1762.

March Scuto.

T. Chippendade inv. et delin









- Addishid according to that of Parliamond 1702.

· Warly Soufe -

31 Inipendate invest delines.




From Commode . Table.




Put accord to Act of Part 153


Marty south


T Chappendaic inv tet del e





























Surlined according to All of Lordinnent 1960.







Put according to act of Partiam 1753.

rups ondale me of del

Y. Muller wealth








Pal " According to let of Partiam! 1753.


J. Miller soulp.






- Attached according to Old of Proximent ofthe.

J. Chippendale met et delin










Put arresting to Act of Partiam 1755


L.S Muller couly









Library Sahle.



Aut according to Act of Parliam, 1753







Pub. according to Art of Parliam 1750.


Le Maller soulp.


? Chapmendole inwet del.



Library Tables_









Pub according to act of Parliam 1753.

. I.S. Miller sculps


T Unyqendale ine et del.



Lilnary Table -









Put, according to Act of Partiam 1763

T Malla culp

Tithypendale inv et del.






Pulledid according to act of Partiament 1760 -



Library Jable


108





Put. according to Act of Parkian, 1753.

I & Miller south.


I' Chyppendale inv. et del.








Two Bookcases.





- Published according to 11d of Indiament 1959 .-

1. Chapy undale invet of delen ?

J. Saylor Soule.











Lablished according to . let of Parliament 1760.

J. Chippendale onv. ed delin?












Pute decording to act of Partiani'1753


I' I appendate one et del


N°XC.



















Pub, according to litt of Parliam, 1753.

T Chapmadale sur et del







\"X('IV.









But according to A.t.of Parlann's 1365










Pub according to Act of Parham 175.8


I.S. Muller veulp


" Von radale mor et del












. 4 Golfie Bookease.





+


ablached sorvering to that of Burlament of be.


. 1 1 happendair inct A deun























Tubleshed wearting to der of Vartioning 600.


" (hopponiate and redelan"



N°.CV.



T. Chippendale invest delin. — Lublish'd according to Act of Parlian 1760. ...











I. (hippondale inv tet delino.


Publish'd according to Act of Parliam' 1761 -

a Hiller Sculp!





"Luctucked according to Oct of Lactionnes 1've.




_Orshiz Borkense.



I. Chippendale in a delon


Published according to Uct of Partiamont !!

L.O. Matter Soulp .



Desk & Bookcase.







T. Chippendale inv. et del.

Pub. according to Act of Parliam! 1753

Marty soulp.







T Chappendale inv et del

Put & according to Oct of Partiament 1753

Marly couly




Desk & Bookcasep_





in the in the telen


Publish'd according to Let of Parliament 1700.


. Marty sculp .













Mounty doub











T'Unppendale invert del








Marly Soule.












Qublishid according to Uct of Partian : 1760.

" " " andale int, et doline.

Daty Souls ..




Nº CAM



Theppendale int et delin.

Published according to Act of Ladian ! 1761.

A Frater Soul




N°CXIX.


o le Loylet Sable -




9. Chippendale inv. t et delin ? Lublishid according to Act of Larliamint 1760.

. Horris seu






Tylully inly








Pub. according to Act of Parliam 1753

TMAller walp.





















J. Chippendale inv. Fet deling ?










Published according to act of Partiament


M D. oly Suly

I Chippendale inst et del











Clock Drops


T. thippendale invest del








day homas




Two Designs of Clothes Chast








T. Wanendale inv. et del.







Pul. according to act of Parluan. e753.




T.Muller oculy






Commode Cloths Profs.




Pub. according to thit of Parliam 178.

" . w what war at del

I SMiller can't.









Published according to all of Portament


M. Dart god why







China CaseD.










A China Case


Nº CXXXVI




3. Chippondale in tet delin.

Published according to Act of parliament 1960.









. Thell's for Books &co. Nº CXXXXIII.

I. Saylor soulp.

. 1. Vinppendale inv. et delin.









Published according to the of Parlamond


M. Darly Soulp.

I Chypendole ino. et del.











. M. Darly Sculps.









J. Olippondale inv. et delin_

- Published according to Oct of Barlan! 1961. -








Published according to the of Parliament.

2°t Happenderk om et delin .

Marby Muly.











- Partiched according to Old of Portion (761.

. Y. Chingendale ind at delan?











. Bultishid according to act of Bartinment 1900.


pendale invest deline.






. Inthink according to Oct of Partiament 1960.

J. Phippondale inv! of delin?




Pandle Stands.




Tub. according to Not of Parliami. 1753.

I Chippendale wor? et del.






Terms for Dustois ker-















Pablished according to , let of . Parlament ofte.

tale inv. tet delin?

W . A. 26.2 3








































Quelished according to Act of Latinment 1760.


. A. Mippondale int. or deline


B Charachalp




Laithorns for Halls or Mairinses ..





















Roberting to tect of Parleament 1860 ..



















white a weding to act of Partiament

M Darty Ocutor

of Appendate inv' of tel

N.CLVI.







Published according to act of Parliament


9 Chypordale inv. et del.


M. Darty South





-Published according to that of Parlamistor.
























Alleshid recording to det Parlament vez.

2. Olypondale inche telm




Brachets for Butter -




Published according to act of Partiament.

M. Davly Souln.

L. Chyppondale inv. of del.




















Publish it according to let of Parlumingo




M. Faster danto






Trackets for Martle State.




















I. Chippondale inv et del

Published according to Get of Parliament

M. Darly Sculp.









Anthibid according to ad of Parliment

A Dely dealy


Nocexv







S. Chippendale inv! et delin. Publish'd according to act of Partiam : 1761. -

Marty sculp.









N°CLXIX.

PierGlafs Frame.







I Phygiendile ine telet

Published according to Act of Parliment

M Dary Soulp











Y Olippindale hal d delin ,


- Published according to Act of Parliament 1762.

Sanc Taylor Soulp -










Nº CEXXIV.


Pier GlaßTrames



G. Ohjopendole week et del:

Published according to Oct of Parliament

M. Darly Sculp



Frames or Marble Stabs.











. Quelested wooding to all of " " " "



Frames for Marble Slates -

Nº CIXXVI





D. Chippendale inv!et delin

Published according to Act of Parliam! 1760 . _

· Marty Soulp ..










No CIXXIX


A Design for a Chimney Liecept.





Chimney Lieces.

Nº CLXXX.







9. (hippondale invect deline

Published according to act of Parliament 1760.







A Defign for a Chimney Riece?



.). (hippendale inv. et deline. ..

published according to Act of parliam 8 1761. .

Clowes sculp







Nº CLXXXIV.





Picture Frame ?._


No CLXXXX



7. Phyppondale im tet delin?

Published according to Act of Larliament 21761.

Morely



Licture Frame.


Nº CLXXXV




T. Chippendale im tet delin.


Published according to Act of Parliament 1961 ._

. W. Foster souls










































M Darly 1 .

























































































































































































Gothick frots.








Published accorden to act of Parliament


M. Darly Berten

1 Tuppondalo inv et del












Trimming







Postions according to det of Prestament

N Dan '. .

of Miggenetale inv. of del.

